

RECEIVED
CENTRAL FAX CENTER78137ARLO
Customer No. 01333

SEP 24 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Gustavo R. Paz-Pujalt, et al

RECEIVER HAVING HYDROPHILIC
RECEIVING SURFACE

Serial No. 09/131,710

Filed 08 August 2002

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Sir:

Group Art Unit: 1774

Examiner: Bruce H. Hess

I hereby certify that this correspondence was sent by
facsimile transmission to the United States Patent and
Trademark Office on the date set forth below.

Via St. George

Date

REQUEST FOR CONTINUED EXAMINATION (RCE)

This is a Request for Continued Examination (RCE) under 37 CFR § 1.114 of the above-identified application.

1. Submission required under 37 CFR § 1.114

- (a) ☐ Previously submitted
- (i) ☐ Consider the amendment(s)/reply under 37 CFR § 1.116 previously filed on
- (ii) ☐ Consider the arguments in the Appeal Brief or Reply Brief previously filed on
- (iii) ☐ Other
- (b) ☒ Enclosed
- (i) ☒ Amendment/Reply
- (ii) ☐ Affidavit(s)/Declaration(s)
- (iii) ☐ Information Disclosure Statement (IDS)
- (iv) ☐ Other

2. Miscellaneous

- (a) Suspension of action on the above-identified application is requested under 37 C.F.R. § 1.103(c) of a period of months. (Period of suspension shall not exceed 3 months: Fee under 37 C.F.R. § 1.17(i) required)
- (b) Other

3. Fees

☒

The Commissioner is hereby authorized to charge the following fees, or credit any overpayments to Eastman Kodak Company Deposit Account No. 05-0225.

A duplicate copy of this sheet is enclosed.

4.


☒

RCE fee required under 37 CFR § 1.17(c)

☐

Extension of time fee (37 CFR § 1.136 and 1.117)

Respectfully submitted,


Attorney for Applicant(s)
Registration No. 22,363Raymond L. Owens/
Rochester, NY 14650
Telephone: 585-477-4653
Facsimile: 585-477-4646

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.